



Magnetic Piston

3/4" Bore


3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore

Part Number

Duty	Single Rod	Double Rod	Stock Stroke Length	A
Standard	AS34x__	ASD34x__	1/8, 1/4, 3/8, 1/2	1.06
Intermediate	ASHH34x__		1/8, 1/4	1.31

Standard Mounting: TF TR TBE TM

*Optional Porting: 1/8-27 NPTF




Part Number

Duty	Single Rod	Double Rod	Stock Stroke Length	A
Standard	AS34x__	ASD34x__	5/8, 3/4	1.06
Intermediate	ASHH34x__		3/8, 1/2	1.31
Heavy	ASFH34x__	ASFHD34x__	1/8, 1/4	1.56

Standard Mounting: TF TR TBE TM

*Optional Porting: 1/8-27 NPTF

— Information same as above except where noted —




Part Number

Duty	Single Rod	Double Rod	Stock Stroke Length	A
Standard	AS34x__	ASD34x__	1, 1-1/4, 1-1/2, 1-3/4, 2-1/4, 2-3/4, 3-1/4, 3-3/4	1.06
Intermediate	ASHH34x__		3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	1.31
Heavy	ASFH34x__	ASFHD34x__	1/2, 3/4, 1, 1-1/4, 1-3/4, 2-1/4, 2-3/4, 3-1/4, 3-3/4	1.56

Standard Mounting: TF
Optional Mounting: TR TBE TM

*Optional Porting: 1/8-27 NPTF

— Information same as above except where noted —



Part Number X

COMPACT® Inch Cylinders

Part Number

Stroke

Options - See 'Options' section




Magnetic Piston

3/4" Bore

Duty	Part Number		Stock Stroke Length	A
	Single Rod	Double Rod		
Standard	AB34x__	ABD34x__	1/8, 1/4, 3/8, 1/2	1.06
Intermediate	ABHH34x__		1/8, 1/4	1.31

Optional Porting:
Threads Port Side

*Optional Porting: 1/8-27 NPTF




Duty	Part Number		Stock Stroke Length	A
	Single Rod	Double Rod		
Standard	AB34x__	ABD34x__	5/8, 3/4, 1, 1-1/4, 1-1/2, 1-3/4, 2-1/4, 2-3/4, 3-1/4, 3-3/4	1.06
Intermediate	ABHH34x__		3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	1.31
Heavy	ABFH34x__	ABFHD34x__	1/8, 1/4, 1/2, 3/4, 1, 1-1/4, 1-3/4, 2-1/4, 2-3/4, 3-1/4, 3-3/4	1.56

Optional Porting:
Threads Port Side

*Optional Porting: 1/8-27 NPTF

— Information same as above except where noted —



X
 Part Number Stroke Options - See 'Options' section



Magnetic Piston


3/4" Bore

3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore • 3/4" Bore

Part Number				
Duty	Single Rod	Double Rod	Stock Stroke Length	A
Standard	AR34x__	ARD34x__	1/8, 1/4, 3/8, 1/2	1.06
Intermediate	ARHH34x__		1/8, 1/4	1.31

Standard Mounting: TF TR TBE
Optional Mounting: TM

*Optional Porting: 1/8-27 NPTF




Part Number				
Duty	Single Rod	Double Rod	Stock Stroke Length	A
Standard	AR34x__	ARD34x__	5/8, 3/4, 1, 1-1/4, 1-1/2, 1-3/4, 2-1/4, 2-3/4, 3-1/4, 3-3/4	1.06
Intermediate	ARHH34x__		3/8, 1/2, 3/4, 1, 1-1/4, 1-1/2, 2, 2-1/2, 3, 3-1/2, 4	1.31
Heavy	ARFH34x__	ARFHD34x__	1/8, 1/4, 1/2, 3/4, 1, 1-1/4, 1-3/4, 2-1/4, 2-3/4, 3-1/4, 3-3/4	1.56

Standard Mounting: TF
Optional Mounting: TR TBE TM

*Optional Porting: 1/8-27 NPTF

— Information same as above except where noted —



Part Number X Stroke Options - See 'Options' section